## NSN 5935-01-146-9020

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-146-9020 **Thread Class:** 2b and 2a and 2a **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight shape, rectangular **Overall Length:** 0.579 inches **Overall Height:** 1.090 inches **Overall Width:** 2.275 inches **Environmental Protection:** Humidity resistant and shock resistant and thermal shock resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** 0.149 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.550 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.900 inches **Threaded Device Type:** Coupling facility and back shell **Mating End Quantity: Contact Position Arrangement Style:** 52 single mating end **Polarization Method:** Polarization boss and guide pin/socket **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 28 and 24 **Thread Size:** 0.250 inches **Insert Material:** Plastic diallyl phthalate single mating end or plastic epoxy single mating end **Insert Material Specification:** Mil-m-14, type sdg-f military specification single material response single mating end or mil-p-19833, type gdi-30 military specification single

N/a

Unf and unef Shelf Life:

material response single mating end

**Thread Series Designator:** 

## NSN 5935-01-146-9020

Electrical Receptacle Connector Body - Page 2 of 2



Unit	Of	Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.