NSN 5935-01-146-9083

Thread Class: 2a and 2a

Body Style:

Overall Length: 1.645 inches Overall Height: 1.750 inches Overall Width:

Thread Direction:

Right-hand and right-hand

Straight shape, external coupling

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-146-9083

1.750 inches
Environmental Protection:
Thermal shock resistant and vibration resistant and corrosion resistant
Unthreaded Mounting Hole Diameter:
0.150 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
1.438 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.438 inches
Distance From Mounting Shoulder To Front Face:
0.520 inches
Threaded Device Type:
Back shell and coupling facility
Mating End Quantity:
1
Contact Removability:
Removable single mating end all contact groupings
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Thready Qty Per Inch (tpi):
20 and 20
Thread Size:
0.250 inches and 0.250 inches
Terminal Location:
Back single mating end all contact groupings
Contact Surface Treatment:
Gold single mating end all contact groupings and nickel single mating end all contact groupings
Insert Material:
Plastic single mating end

NSN 5935-01-146-9083

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Crimp single mating end all contact groupings
Shell Material:
Plastic
Included Contact Quantity:
4 single mating end 1st contact grouping
Included Contact Type:
Round pin single mating end all contact groupings
Special Features:
Contact designator 23-16m
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.032 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc and unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0