NSN 5935-01-147-1289

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-147-1289

Body Style:
Straight type
Overall Length:
5.095 inches
Overall Height:
0.708 inches
Overall Width:
0.390 inches
Environmental Protection:
Humidity resistant and thermal shock resistant and shock resistant and vibration resistant and corrosion resistant and heat resistant and cold
resistant
Unthreaded Mounting Hole Diameter:
0.122 inches
Distance Between Mounting Facility Centers:
4.775 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Tin single mating end single contact grouping
Insert Material:
Plastic polyester single mating end
Contact Surface Treatment Specification:
Mil-t-10727 military specification single treatment response single mating end single contact grouping
Terminal Type:

Pin single mating end single contact grouping

Contact Material Specification:

Qq-c-530 federal specification single material response single mating end single contact grouping

Included Contact Quantity:

76 single mating end single contact grouping

Shelf Life:

N/a

NSN 5935-01-147-1289

Electrical Receptacle Connector - Page 2 of 2



		• -						
	In		Of	RЛ	മാ	CI	ır	Δ.
L	,,,			IVI	ca			

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-t-10727 spec.