Electrical Plug Connector - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5935-01-147-5733

## Thread Class:

2a

Thread Direction:

Right-hand and right-hand

## Body Style:

Straight shape, internal coupling

#### Overall Length:

32.2 millimeters

#### **Overall Diameter:**

41.7 millimeters

#### **Environmental Protection:**

Moisture resistant and salt water resistant and vibration resistant

#### **Threaded Device Type:**

Back shell and coupling facility

#### Mating End Quantity:

Contact Position Arrangement Style:

21-35 single mating end

#### **Contact Removability:**

Removable single mating end single contact grouping

### **Polarization Method:**

Keyway or multiple keyway

## Insert Position In Deg:

0.0

1

## Shell Type:

Solid

## **Connector Locking Method:**

Internally threaded coupling ring

## Thread Size:

31.0 millimeters and 1.375 inches

## **Terminal Location:**

Back single mating end single contact grouping

## **Contact Material:**

Copper alloy single mating end single contact grouping

## **Contact Surface Treatment:**

Gold single mating end single contact grouping

## **Terminal Type:**

Crimp single mating end single contact grouping

## Shell Material:

Aluminum alloy

## Shell Surface Treatment:

Cadmium

# NSN 5935-01-147-5733

Electrical Plug Connector - Page 2 of 2



#### Shell Surface Treatment Specification:

Qq-p-416 federal specification single treatment response

#### **Thread Tolerance Class:**

6g external

## Included Contact Quantity:

79 single mating end single contact grouping

### Included Contact Type:

Round pin single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold

#### **Precious Material And Weight:**

0.079 gold grains, troy

Precious Material:

Gold

#### **Test Data Document:**

81349-dod-c-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Thread Series Designator:**

Iso m and special acme

Specification Data:

81349-dod-c-38999/26 government specification

## Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

Fiig:

A039b0