## NSN 5935-01-148-3037

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-148-3037

| Body Style:  |
|--|
| Straight shape   |
| Overall Length:  |
| 1.036 inches   |
| Overall Height:  |
| 4.318 inches   |
| Overall Width:   |
| 2.000 inches   |
| Unthreaded Mounting Hole Diameter:   |
| 0.120 inches   |
| Center To Center Distance Between Mounting Facilities Parallel To Height:  |
| 4.026 inches   |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:  |
| 1.436 inches   |
| Distance From Mounting Shoulder To Front Face:   |
| 0.060 inches   |
| Mating End Quantity:   |
| 3  |
| Contact Position Arrangement Style:  |
| "106, a106" 1st mating end   |
| Contact Removability:  |
| Removable 1st mating end 1st contact grouping  |
| Polarization Method:   |
| 3 polarization posts   |
| Shell Type:  |
| Solid  |
| Connector Locking Method:  |
| Post jacksocket  |
| Terminal Location:   |
| Back 1st mating end 1st contact grouping   |
| Contact Material:  |
| Copper alloy 1st mating end 1st contact grouping   |
| Contact Surface Treatment:   |
| Gold 1st mating end 1st contact grouping   |
| Insert Material:   |
| Plastic epoxy 1st mating end   |
| Contact Surface Treatment Specification:   |
| Mil-g-45204, type 1, grade c, class 2 military specification single treatment response 1st mating end 1st contact grouping     |
| Terminal Type:   |
| Crimp 1st mating end 1st contact grouping  |
| Guide Design And Location:   |
| Hexagon shape female post left-hand at 5 oclock and hexagon shape female post center at 5 oclock and hexagon shape female post |
| right-hand at 5 oclock   |

## NSN 5935-01-148-3037

Electrical Receptacle Connector - Page 2 of 2



| Shell Material:  |
|--|
| Aluminum alloy a380.0                                    |
| Shell Surface Treatment:                                 |
| Cadmium and chromate                                     |
| Shell Surface Treatment Specification:                   |
| Qq-p-416 federal specification single treatment response |
| Shell Material Specification:                            |
| Qq-a-591 federal specification single material response  |
| Precious Material And Location:                          |
| Contact surfaces gold                                    |
| Precious Material And Weight:                            |
| 0.106 gold grains, troy                                  |
| Precious Material:                                       |
| Gold   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |
| No   |
| Fiig:  |
| A039b0   |
| Mil-std (military Standard):                             |
| Mil-g-45204 spec.  |