NSN 5935-01-152-6997

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-152-6997

Body Style:
Hood, corner opening
Overall Width:
1.000 inches
Body Height:
4.280 inches
Mating End Quantity:
1
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
2 polarization posts
Shell Type:
Solid
Connector Locking Method:
Friction
Connector Cable Strain Relief Method:
Cable clamp
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic single mating end
Contact Surface Treatment Specification:
Mil-g-45204, ty ii military specification 1st treatment response single mating end single contact grouping and qq-n-290, class 2 federal
specification 2nd treatment response single mating end single contact grouping
Terminal Type:
Crimp single mating end single contact grouping
Contact Material Specification:
Mil-c-50 military specification single material response single mating end single contact grouping
Guide Design And Location:
Hexagon shape male post right-hand bottom at 5 oclock

Shell Material:

Stainless steel

Shell Material Specification:

Qq-s-766 federal specification single material response

Insert Material Specification:

Mil-m-14 military specification single material response single mating end

NSN 5935-01-152-6997

Electrical Plug Connector - Page 2 of 2



Included Contact Quantity:
156 single mating end single

156 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.156 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-c-50 spec.