Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-153-7526

Body Style:
Straight shape
Overall Length:
0.785 inches
Overall Height:
0.430 inches
Overall Width:
0.305 inches
Environmental Protection:
Moisture resistant
Unthreaded Mounting Hole Diameter:
Between 0.088 inches and 0.094 inches
Distance Between Mounting Facility Centers:
0.565 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
9 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Included Contact Quantity:
9 single mating end single contact grouping



Included Contact Type:

Round socket single mating end single contact grouping

## **Special Features:**

Wire leads 18.000 in. Lg

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.009 gold grains, troy

## **Precious Material:**

Gold

Shelf Life:

N/a

Unit Of Measure:

---

## **Demilitarization:**

No

Fiig:

A039b0

## Mil-std (military Standard):

Mil-g-45204 spec.