NSN 5935-01-156-7787

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-156-7787

| Body Style: |
|--|
| Right angle type |
| Overall Length: |
| 7.480 inches |
| Overall Height: |
| 0.735 inches |
| Overall Width: |
| 0.531 inches |
| Environmental Protection: |
| Humidity resistant and thermal shock resistant and corrosion resistant |
| Unthreaded Mounting Hole Diameter: |
| 0.102 inches |
| Distance Between Mounting Facility Centers: |
| 7.300 inches |
| Mating End Quantity: |
| 1 |
| Contact Removability: |
| Nonremovable single mating end single contact grouping |
| Contact Maximum Current Rating In Amps: |
| 3.0 single mating end single contact grouping |
| Polarization Method: |
| Guide pin/socket |
| Connector Locking Method: |
| Friction |
| Terminal Location: |
| Side single mating end single contact grouping |
| Contact Material: |
| Copper alloy single mating end single contact grouping |
| Contact Surface Treatment: |
| Gold single mating end single contact grouping and nickel single mating end single contact grouping |
| Insert Material: |
| Plastic polyamide single mating end |
| Contact Surface Treatment Specification: |
| Mil-g-45204, type 2 military specification 1st treatment response single mating end single contact grouping and qq-n-290, cl 2 federal |
| specification 2nd treatment response single mating end single contact grouping |
| Terminal Type: |
| Tab, solder lug single mating end single contact grouping |
| Contact Material Specification: |

Insert Material Specification:

Mil-m-20693 military specification single material response single mating end

Qq-b-613, comp 2 federal specification single material response single mating end single contact grouping

Unable To Decode:

Unable to decode and unable to decode

NSN 5935-01-156-7787

Electrical Receptacle Connector - Page 2 of 2



132 single mating end single contact grouping

Included Contact Type:

Flat pin single mating end single contact grouping

Special Features:

Furnished items - mounting plate

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.132 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.