## NSN 5935-01-157-7167

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-157-7167 **Body Style:** Straight shape, external coupling **Overall Length:** 0.701 inches **Overall Height:** 1.234 inches **Overall Width:** 1.234 inches **Environmental Protection:** Corrosion resistant and moisture resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** Between 0.115 inches and 0.130 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.969 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.969 inches **Distance From Mounting Shoulder To Front Face:** 0.447 inches **Mating End Quantity: Contact Position Arrangement Style:** 16-35 single mating end **Contact Removability:** Removable single mating end single contact grouping **Polarization Method:** Key, multiple key groove **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Bayonet pin **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** 

Insert Material:

Plastic single mating end

**Terminal Type:** 

Wire wrap single mating end single contact grouping

Gold single mating end single contact grouping

## NSN 5935-01-157-7167

Electrical Receptacle Connector - Page 2 of 2



| Shell Material:                                     |
|---|
| Aluminum alloy                                      |
| Shell Surface Treatment:                            |
| Nickel and cadmium                                  |
| Included Contact Quantity:                          |
| 55 single mating end single contact grouping        |
| Included Contact Type:                              |
| Round pin single mating end single contact grouping |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:                                    |
|   |
| Demilitarization:                                   |
| No  |
| Fiig:   |

A039b0