## NSN 5935-01-158-3756

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-158-3756 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling w/backshell **Overall Length:** 1.300 inches **Overall Height:** 1.703 inches **Overall Width:** 1.703 inches **Environmental Protection:** Moisture resistant and salt water resistant and shock resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** 0.149 inches **Center To Center Distance Between Mounting Facilities Parallel To Height:** 1.375 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.375 inches **Distance From Mounting Shoulder To Front Face:** 0.540 inches **Threaded Device Type:** Back shell **Mating End Quantity: Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 101.0 and 168.0 and 211.0 and 342.0 Shell Type: **Connector Locking Method:** Bayonet pin Thready Qty Per Inch (tpi): 18 **Thread Size:** 1.438 inches **Insert Material:** 

**Shell Material:** 

Plastic phenolic mineral filled single mating end

Aluminum alloy

## NSN 5935-01-158-3756

Electrical Receptacle Connector Body - Page 2 of 2



Snell	Surrace	reatment

Cadmium and chromate

**Shell Surface Treatment Specification:** 

Qq-p-416, type 2, class 3 federal specification 1st treatment response

**Shell Material Specification:** 

Qq-a-367 federal specification single material response

**Insert Material Specification:** 

Mil-m-14, ty mfh military specification single material response single mating end

**Special Features:** 

Contact configuration 24-51

**Thread Series Designator:** 

Unef

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.