NSN 5935-01-160-1785

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-160-1785

view Offline at https://defobasegroup.com/hsh/0900-01-100-1700
Thread Class:
2a and 2b and 2a
Thread Direction:
Right-hand and right-hand and right-hand
Body Style:
Rectangular shape
Overall Length:
2.859 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.000 inches
Overall Width:
0.891 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.460 inches
Threaded Device Type:
Coupling facility and mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
42 single mating end
Polarization Method:
Jackscrew and polarization boss
Shell Type:
Solid
Connector Locking Method:
Jackscrew-socket
Thready Qty Per Inch (tpi):
32 and 32 and 40
Thread Size:
0.138 inches and 0.138 inches and 0.112 inches
Insert Material:
Plastic diallyl phthalate single mating end or plastic epoxy single mating end or plastic phenolic single mating end
Shell Material:
Aluminum
Shell Surface Treatment:
Anodize and dichromate potassium
Insert Material Specification:
Mil-m-14, type sdg-f military specification single material response single mating end
Colors

Color: Green

NSN 5935-01-160-1785

Electrical Receptacle Connector Body - Page 2 of 2



Thread Series Designator:
Unc and unc and unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard):

Mil-m-14 spec.