NSN 5935-01-160-1901

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-160-1901

Body Style: Right angle type **Overall Length:** 0.640 inches Overall Width: 0.320 inches **Body Height:** 0.238 inches **Environmental Protection:** Corrosion resistant and shock resistant and vibration resistant **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 3.0 single mating end all contact groupings **Connector Locking Method:** Friction **Terminal Location:** Front single mating end 1st contact grouping **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings and nickel single mating end all contact groupings **Insert Material:** Plastic phenolic single mating end **Contact Surface Treatment Specification:** Mil-g-45204 military specification single treatment response single mating end all contact groupings and qq-n-290 federal specification 2nd treatment response single mating end all contact groupings **Terminal Type:** Tab, solder lug single mating end all contact groupings **Contact Material Specification:** Qq-b-750 federal specification single material response single mating end all contact groupings

Insert Material Specification:

Mil-m-14 military specification single material response single mating end

Included Contact Quantity:

6 single mating end 1st contact grouping

Included Contact Type:

Flat socket single mating end all contact groupings

Precious Material And Location:

Contact surfaces gold

NSN 5935-01-160-1901

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.012 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.