

View Online at <https://aerobasegroup.com/nsn/5935-01-163-5055>

**Body Style:**

Straight shape, external coupling w/backshell

**Overall Length:**

51.0 millimeters

**Overall Height:**

Between 44.2 millimeters and 44.8 millimeters

**Overall Width:**

Between 44.2 millimeters and 44.8 millimeters

**Environmental Protection:**

Fuel resistant and shock resistant and vibration resistant and waterproof

**Unthreaded Mounting Hole Diameter:**

Between 3.7 millimeters and 3.8 millimeters

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

Between 34.8 millimeters and 35.0 millimeters

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 34.8 millimeters and 35.0 millimeters

**Distance From Mounting Shoulder To Front Face:**

Between 23.05 millimeters and 23.45 millimeters

**Mating End Quantity:**

1

**Contact Removability:**

Removable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:**

13.0 single mating end single contact grouping

**Contact Maximum Ac Voltage Rating In Volts:**

200.0 single mating end single contact grouping

**Contact Maximum Dc Voltage Rating In Volts:**

250.0 single mating end single contact grouping

**Polarization Method:**

Keyway or multiple keyway

**Insert Position In Deg:**

0.0

**Shell Type:**

Solid

**Connector Locking Method:**

Bayonet latch

**Terminal Location:**

Back single mating end single contact grouping

**Contact Material:**

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:**

Gold single mating end single contact grouping or silver single mating end single contact grouping or rhodium single mating end single contact grouping

**Insert Material:**

Plastic single mating end

**Terminal Type:**

Crimp single mating end single contact grouping

**Shell Material:**

Aluminum alloy

**Shell Surface Treatment:**

Cadmium and chromate

**Shell Surface Treatment Specification:**

Qq-p-416, type 2, cl 2 federal specification all treatment responses

**Included Contact Quantity:**

28 single mating end single contact grouping

**Included Contact Type:**

Round socket single mating end single contact grouping

**Precious Material And Location:**

Contact surfaces gold or contact surfaces silver or contact surfaces rhodium

**Precious Material And Weight:**

0.028 gold grains, troy or 0.028 silver grains, troy or 0.028 rhodium grains, troy

**Precious Material:**

Gold or silver or rhodium

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A039b0