## NSN 5935-01-165-1794

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-165-1794 **Body Style:** Straight shape, external coupling **Overall Length:** 0.933 inches **Overall Height:** 1.562 inches **Overall Width:** 1.562 inches **Environmental Protection:** Hermetic and humidity resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** 0.120 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.250 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.250 inches **Distance From Mounting Shoulder To Front Face:** 0.556 inches **Mating End Quantity: Contact Position Arrangement Style:** 22-21 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 13.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 900.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 1250.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 135.0 **Shell Type:** Solid **Connector Locking Method:** Bayonet latch **Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Nickel alloy single mating end single contact grouping

## NSN 5935-01-165-1794

Electrical Receptacle Connector - Page 2 of 2



Contact Surface Treatment:
Tin single mating end single contact grouping
Insert Material:
Glass single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification single treatment response
Included Contact Quantity:
21 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0