## NSN 5935-01-165-7069

20 single mating end single contact grouping

Hermaphrodite single mating end single contact grouping

**Included Contact Type:** 

**Body Style:** 

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-165-7069

Rectangular shape **Overall Length:** 1.312 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.125 inches **Overall Height:** 0.803 inches **Overall Width:** 0.686 inches **Environmental Protection:** Fungus proof and solvent resistant **Unthreaded Mounting Hole Diameter:** 0.096 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.410 inches **Mating End Quantity:** 1 **Contact Maximum Current Rating In Amps:** 8.5 single mating end single contact grouping **Polarization Method:** Guide pin/socket Shell Type: Solid **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Wire wrap single mating end single contact grouping **Contact Material Specification:** Qq-b-750 federal specification single material response single mating end single contact grouping **Insert Material Specification:** Mil-m-14f type sdgf military specification single material response single mating end **Included Contact Quantity:** 

## NSN 5935-01-165-7069

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Location:</b>
Terminals gold
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-m-14f spec.