NSN 5935-01-166-9199

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-166-9199

Body Style: Right angle type **Overall Length:** 4.900 inches **Overall Height:** 0.550 inches **Overall Width:** 0.400 inches **Distance Between Mounting Facility Centers:** 4.650 inches **Mating End Quantity: Contact Position Arrangement Style:** 3 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Polarization Method:** Guide pin/socket **Connector Locking Method:** Friction **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic polyphenylene single mating end **Terminal Type:** Pin single mating end single contact grouping **Guide Design And Location:** D shape socket left-hand at 9 oclock and d shape socket right-hand at 9 oclock **Insert Material Specification:** Mil-m-24519 military specification single material response single mating end **Included Contact Quantity:** 122 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:**

i recious material And Lo

Contact surfaces gold

NSN 5935-01-166-9199

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.122 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-m-24519 spec.