Electrical Connector Backshell - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-168-4030

| Thread Class: |
|--|
| 2b |
| Thread Direction: |
| Right-hand |
| Overall Width: |
| 0.617 inches |
| Body Angle In Deg: |
| 90.0 |
| End Application: |
| 7021-00-351-7055 |
| Cable Opening Diameter: |
| Between 0.125 inches and 0.250 inches |
| Distance From Centerline To Cable End: |
| 2.744 inches |
| Cable Opening Quantity: |
| 1 |
| Size Designation: |
| 8 and 8s |
| Mounting Facility Type And Quantity: |
| 1 threaded coupling |
| Thready Qty Per Inch (tpi): |
| 20 |
| Thread Size: |
| 0.500 inches |
| Material: |
| Aluminum alloy |
| Surface Treatment: |
| Cadmium |
| Style Designator: |
| Angle type w/clamp |
| Surface Treatment: |
| Cadmium |
| Test Data Document: |
| 81349-mil-c-85049 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Thread Series Designator: |
| Unf |
| Specification Data: |
| 81349-mil-c-85049/8 government specification |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |

Electrical Connector Backshell - Page 2 of 2

Demilitarization:

No

Fiig:

A10100

