NSN 5935-01-168-8780

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-168-8780

Body Style:
Right angle type
Overall Length:
0.625 inches
Overall Width:
0.125 inches
Body Height:
0.115 inches
Environmental Protection:
Humidity resistant and shock resistant and vibration proof
Mating End Quantity:
1
Contact Position Arrangement Style:
1 row of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Mating end
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and copper single mating end single contact grouping
Insert Material:
Plastic single mating end
Contact Surface Treatment Specification:
Mil-g-45204 type 2, cl 1 military specification 1st treatment response single mating end single contact grouping and mil-c-14550 military
specification 2nd treatment response single mating end single contact grouping
Terminal Type:
Tab, solder lug single mating end single contact grouping
Insert Material Specification:
Mil-m-14 ty mfh military specification single material response single mating end
Included Contact Quantity:
12 single mating end single contact grouping
Included Contact Type:

Contact surfaces gold

Precious Material And Weight:

Precious Material And Location:

Flat pin single mating end single contact grouping

0.012 gold grains, troy

NSN 5935-01-168-8780

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-g-45204 spec.