## NSN 5935-01-169-2450

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-169-2450

Rody	Style:	
Dogv	OLVIC.	

Straight shape, internal coupling w/backshell

**Overall Length:** 

59.5 millimeters

Overall Diameter:

39.9 millimeters

**Environmental Protection:** 

Shock resistant and vibration resistant and waterproof

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

20-24 single mating end

**Contact Removability:** 

Removable single mating end all contact groupings

**Contact Maximum Current Rating In Amps:** 

46.0 single mating end 2nd contact grouping

**Contact Maximum Ac Voltage Rating In Volts:** 

500.0 single mating end all contact groupings

**Contact Maximum Dc Voltage Rating In Volts:** 

700.0 single mating end all contact groupings

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

0.0

Shell Type:

Solid

**Connector Locking Method:** 

Bayonet pin

**Connector Cable Strain Relief Method:** 

Compression nut and grommet

**Operating Tempurature Rating:** 

Between -55.0 degrees celsius and 125.0 degrees celsius

**Features Provided:** 

Self-locking coupling nut

**Terminal Location:** 

Back single mating end all contact groupings

**Contact Material:** 

Copper alloy single mating end all contact groupings

**Contact Surface Treatment:** 

Gold single mating end all contact groupings or silver single mating end all contact groupings or rhodium single mating end all contact groupings

**Insert Material:** 

Rubber chloroprene class cr single mating end

## NSN 5935-01-169-2450

A039b0

Electrical Plug Connector - Page 2 of 2



Terminal Type:
Crimp single mating end all contact groupings
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Shell Surface Treatment Specification:
Qq-p-416, type 2, cl 2 federal specification all treatment responses
Included Contact Quantity:
2 single mating end 2nd contact grouping
Included Contact Type:
Round pin single mating end all contact groupings
Precious Material And Location:
Contact surfaces gold or contact surfaces silver or contact surfaces rhodium
Precious Material And Weight:
$0.012 \ \text{gold grains}, \ \text{troy} \ \text{or} \ 0.012 \ \text{silver} \ \text{grains}, \ \text{troy} \ \text{or} \ 0.012 \ \text{rhodium} \ \text{grains}, \ \text{troy}$
Precious Material:
Gold or silver or rhodium
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiio: