NSN 5935-01-170-7678

Terminal Type:

Crimp all mating ends single contact grouping

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-170-7678

Body Style:
Straight shape
Overall Height:
3.110 inches
Overall Width:
2.000 inches
Environmental Protection:
Moisture resistant
Unthreaded Mounting Hole Diameter:
0.120 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
2.783 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.436 inches
Distance From Mounting Shoulder To Front Face:
0.756 inches
Mating End Quantity:
2
Contact Position Arrangement Style:
8 1st mating end
Contact Removability:
Removable all mating ends single contact grouping
Contact Maximum Current Rating In Amps:
7.5 2nd mating end single contact grouping
Polarization Method:
3 polarization posts
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back all mating ends single contact grouping
Contact Material:
Copper alloy all mating ends single contact grouping
Contact Surface Treatment:
Gold all mating ends single contact grouping and copper all mating ends single contact grouping
Insert Material:
Plastic diallyl phthalate all mating ends
Contact Surface Treatment Specification:
Mil-g-45204, type 1, grade c, class 2 military specification 1st treatment response all mating ends single contact grouping and mil-c-14550
military specification 2nd treatment response all mating ends single contact grouping

NSN 5935-01-170-7678

Electrical Receptacle Connector - Page 2 of 2



Guide Design And Location:

Hexagon shape male post left-hand at 6 oclock and	hexagon shape male post right-hand at 6 oclock and	hexagon shape male post center
at 6 oclock		

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium and chromate

Shell Surface Treatment Specification:

Qq-p-416, type 2, class 3 federal specification all treatment responses

Shell Material Specification:

Qq-a-591, comp a federal specification single material response

Insert Material Specification:

Mil-p-19833, type gdi-30f military specification single material response all mating ends

Included Contact Quantity:

8 1st mating end single contact grouping

Included Contact Type:

Round socket all mating ends single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.053 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.