# NSN 5935-01-171-3674

Thread Size: 1.500 inches

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-171-3674 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.625 inches **Overall Height:** Between 1.363 inches and 1.403 inches **Overall Width:** Between 1.363 inches and 1.403 inches **Environmental Protection:** Thermal shock resistant and vibration resistant and shock resistant and corrosion resistant and moisture resistant **Unthreaded Mounting Hole Diameter:** Between 0.115 inches and 0.130 inches **Center To Center Distance Between Mounting Facilities Parallel To Height:** 1.015 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.015 inches **Distance From Mounting Shoulder To Front Face:** Between 0.878 inches and 0.898 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 17-31 single mating end **Contact Removability:** Removable single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 **Shell Type:** Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 10

# NSN 5935-01-171-3674

Electrical Receptacle Connector - Page 2 of 2



T	ermi	nal	I oc	atior	١:
	CITT	ı ıaı		alivi	• •

Back single mating end single contact grouping

### **Contact Material:**

Copper alloy single mating end single contact grouping

# **Contact Surface Treatment:**

Silver single mating end single contact grouping

### **Insert Material:**

Plastic fluorosilicone single mating end

### **Contact Surface Treatment Specification:**

Qq-s-365 federal specification single treatment response single mating end single contact grouping

### **Terminal Type:**

Crimp single mating end single contact grouping

# Shell Material:

Aluminum

### **Shell Surface Treatment:**

Cadmium and nickel

# **Shell Surface Treatment Specification:**

Qq-p-416, type 2, cl 3 federal specification 1st treatment response

# **Included Contact Quantity:**

42 single mating end single contact grouping

## **Included Contact Type:**

Round pin single mating end single contact grouping

# **Precious Material And Location:**

Contact surfaces silver

### **Precious Material And Weight:**

0.042 silver grains, troy

### **Precious Material:**

Silver

# **Test Data Document:**

81349-mil-c-28840 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Thread Series Designator:**

Double stub

## **Specification Data:**

81349-mil-c-28840/12 government specification

### Shelf Life:

N/a

### **Unit Of Measure:**

--

# Demilitarization:

No

## Fiig:

A039b0