## NSN 5935-01-174-6110

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-174-6110

**Body Style:** Straight type **Overall Length:** 0.438 inches **Overall Width:** 0.250 inches **Unthreaded Mounting Hole Diameter:** 0.089 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 13.0 single mating end single contact grouping **Shell Type:** Hood, top opening **Connector Cable Strain Relief Method:** Cable clamp **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic melamine single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Plastic melamine **Shell Material Specification:** Mil-m-14 military specification single material response **Insert Material Specification:** Mil-m-14, ty mme military specification single material response single mating end **Included Contact Quantity:** 2 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

## NSN 5935-01-174-6110

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Weight:</b>
0.002 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-m-14 spec.