

View Online at <https://aerobasegroup.com/nsn/5935-01-175-5035>

Body Material:

Plastic

Thread Class:

2b

Thread Direction:

Right-hand

Body Style:

Bottom mount w/metal saddle and bushings

Overall Length:

1.570 inches

Overall Height:

0.719 inches

Overall Width:

0.730 inches

Mounting Hole Diameter:

0.161 inches

Body Mounting Hole Accommodation Diameter:

0.730 inches

Distance Between Mounting Facility Centers:

1.187 inches

Mounting Hole Style:

Round, w/two mounting holes

Contact Maximum Current Rating In Amps:

10.0

Contact Material:

Beryllium copper

Contact Surface Treatment:

Gold and nickel

Accommodated Contact Quantity:

2

End Application:

2350-01-089-1261

Polarization Type:

Contact position

Projection Length Above Mounting Surface:

0.028 inches

Mounting Method:

Threaded hole

Mounting Type For Which Designed:

Chassis

Thready Qty Per Inch (tpi):

32

Thread Size:

0.138 inches

Contact Position Arrangement Style:

In line

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.010 gold grains, troy

Precious Material:

Gold

Test Data Document:

81349-mil-s-12883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc

Terminal Type And Quantity:

2 tab, solder lug

Specification Data:

81349-mil-s-12883/42 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A02300