## NSN 5935-01-177-0549

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-177-0549

**Body Style:** 

Straight shape, external coupling

**Overall Height:** 

1.328 inches

**Overall Width:** 

1.328 inches

**Environmental Protection:** 

Moisture proof and salt water resistant and vibration proof and hermetic

**Unthreaded Mounting Hole Diameter:** 

0.120 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

1.062 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.062 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

"18-8, 22-404" single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Ac Voltage Rating In Volts:** 

1000.0 single mating end single contact grouping

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

0.0

Shell Type:

Solid

**Connector Locking Method:** 

Bayonet pin

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Metal ferrous single mating end single contact grouping

**Contact Surface Treatment:** 

Tin single mating end single contact grouping

**Insert Material:** 

Glass single mating end

**Contact Surface Treatment Specification:** 

Mil-t-10727 military specification single treatment response single mating end single contact grouping

**Terminal Type:** 

Tab, solder lug single mating end single contact grouping

## NSN 5935-01-177-0549

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Metal ferrous
Shell Surface Treatment:
Tin and nickel
Included Contact Quantity:
8 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-t-10727 spec.