## NSN 5935-01-178-2574

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-178-2574

**Body Style:** 

Straight edge type w/card guide

**Overall Length:** 

2.808 inches

**Overall Width:** 

0.400 inches

**Body Height:** 

0.610 inches

**Environmental Protection:** 

Vibration resistant

**Board Accommodated Length:** 

2.250 inches single board

**Board Accommodated Width:** 

Between 0.055 inches and 0.070 inches

**Mating End Quantity:** 

1

#### **Contact Position Arrangement Style:**

2 rows of independent contacts inserted board single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

### **Contact Maximum Current Rating In Amps:**

3.0 single mating end single contact grouping

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

#### **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping and tin single mating end single contact grouping

**Insert Material:** 

Plastic polyamide single mating end

#### **Contact Surface Treatment Specification:**

Mil-g-45204 military specification 1st treatment response single mating end single contact grouping

**Terminal Type:** 

Tab, solder lug single mating end single contact grouping

**Included Contact Quantity:** 

28 single mating end single contact grouping

**Included Contact Type:** 

Leaf spring single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.028 gold grains, troy

# NSN 5935-01-178-2574

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-g-45204 spec.