## NSN 5935-01-178-4264

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-178-4264 **Body Style:** Straight shape, external coupling strain relief **Overall Height:** 1.438 inches **Overall Width:** 1.438 inches **Body Length:** 2.125 inches **Environmental Protection:** 

Corrosion resistant and humidity resistant and moisture resistant and shock resistant and vibration resistant

**Unthreaded Mounting Hole Diameter:** 

Between 0.115 inches and 0.125 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

1.187 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.187 inches

**Cable Entrance Diameter:** 

0.750 inches

**Distance From Mounting Shoulder To Front Face:** 

0.531 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

37-27p single mating end

**Contact Removability:** 

Removable single mating end all contact groupings

**Contact Maximum Current Rating In Amps:** 

7.5 single mating end 1st contact grouping

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

25.0

Shell Type:

Solid

**Connector Locking Method:** 

Spring friction

**Connector Cable Strain Relief Method:** 

Cable clamp

**Terminal Location:** 

Back single mating end all contact groupings

**Contact Material:** 

Copper alloy single mating end all contact groupings

## NSN 5935-01-178-4264

Mil-g-45204 spec.

Electrical Receptacle Connector - Page 2 of 2



Contact Surface Treatment:
Gold single mating end all contact groupings
Insert Material:
Rubber synthetic single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response single mating end all contact groupings
Terminal Type:
Crimp single mating end all contact groupings
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416, type 11, class 2 federal specification single treatment response
Included Contact Quantity:
7 single mating end 2nd contact grouping
Included Contact Type:
Round pin single mating end 1st contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.013 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):