NSN 5935-01-179-4786

Contact Material:

Contact Surface Treatment:

Copper alloy all mating ends single contact grouping

Gold all mating ends single contact grouping

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-179-4786 **Thread Class:** 3b **Thread Direction:** Right-hand **Body Style:** Straight shape, flush mount **Overall Length:** 1.750 inches **Overall Height:** Between 1.985 inches and 2.015 inches **Overall Width:** Between 3.060 inches and 3.090 inches **Environmental Protection:** Humidity resistant and salt water resistant and shock resistant and thermal shock resistant and vibration resistant Center To Center Distance Between Mounting Facilities Parallel To Height: 1.436 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.782 inches **Distance From Mounting Shoulder To Front Face:** Between 0.055 inches and 0.065 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 57 all mating ends **Contact Removability:** Removable all mating ends single contact grouping **Polarization Method:** 3 polarization posts Shell Type: Thready Qty Per Inch (tpi): 40 **Thread Size:** 0.112 inches **Terminal Location:** Back all mating ends single contact grouping

NSN 5935-01-179-4786

Mil-std (military Standard):

Mil-g-45204 spec.

Electrical Receptacle Connector - Page 2 of 2



Insert Material:
Plastic diallyl phthalate all mating ends or plastic epoxy all mating ends or plastic phenolic all mating ends
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response all mating ends single contact grouping
Terminal Type:
Pin all mating ends single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Nickel
Shell Surface Treatment Specification:
Mil-c-26074 military specification single treatment response
Shell Material Specification:
Qq-a-591 federal specification single material response or qq-a-367 federal specification single material response or qq-a-250 federal
specification single material response
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.114 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A039b0