NSN 5935-01-182-0618

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-182-0618

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Hood, side opening w/clamp
Overall Length:
3.245 inches
Overall Height:
3.372 inches
Overall Width:
0.920 inches
Environmental Protection:
Thermal shock resistant and vibration resistant and shock resistant and humidity resistant
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Removability:
Removable single mating end single contact grouping
Polarization Method:
Guide pin/socket
Shell Type:
Hood, side opening
Connector Locking Method:
Jackscrew
Connector Cable Strain Relief Method:
Cable clamp
Cable Opening Length:
0.650 inches
Cable Opening Width:
0.500 inches
Thready Qty Per Inch (tpi):
32
Thread Size:
0.138 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:

Contact Carrace Treatment

Gold single mating end single contact grouping and nickel single mating end single contact grouping

NSN 5935-01-182-0618

Electrical Plug Connector - Page 2 of 2



Insert Material:

Plastic diallyl phthalate single mating end

Contact Surface Treatment Specification:

Mil-g-45204, type 2, grade d, cl 1 military specification 1st treatment response single mating end single contact grouping and qq-n-290, cl 2 federal specification 2nd treatment response single mating end single contact grouping

Terminal Type:

Crimp single mating end single contact grouping

Contact Material Specification:

Qq-b-750 federal specification single material response single mating end single contact grouping

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium

Insert Material Specification:

Mil-m-14, ty sdg-f or gdi-30f military specification single material response single mating end

Included Contact Quantity:

165 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.165 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.