NSN 5935-01-182-4782

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-182-4782

view Online at https://aerobasegroup.com/nsn/5935-01-162-4762
Body Style:
Rectangular shape
Overall Length:
1.200 inches
Overall Height:
0.420 inches
Body Width:
0.238 inches
Environmental Protection:
Thermal shock resistant and cold resistant and heat resistant
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Connector Locking Method:
Friction
End Application:
An/prc-113
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic polyamide single mating end
Contact Surface Treatment Specification:
Mil-g-45204 ty ii military specification 1st treatment response single mating end single contact grouping and qq-n-290 federal specificatio
2nd treatment response single mating end single contact grouping
Terminal Type:
Tab, solder lug single mating end single contact grouping
Included Contact Quantity:
24 single mating end single contact grouping
Included Contact Type:
Flat socket single mating end single contact grouping

0.024 gold grains, troy

Contact surfaces gold

Precious Material And Location:

Precious Material And Weight:

NSN 5935-01-182-4782

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-g-45204 spec.