# NSN 5935-01-183-3409

Connector Adapter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-01-183-3409

### Thread Class:

2b

**Thread Direction:** 

Right-hand

### Body Style:

Straight shape, internal coupling

#### **Overall Length:**

1.780 inches

#### **Overall Diameter:**

0.360 inches

#### Threaded Device Type:

Coupling facility

#### Mating End Quantity:

2

#### **Contact Position Arrangement Style:**

Nonstd 2nd mating end

## **Contact Removability:**

Nonremovable all mating ends single contact grouping

#### Shell Type:

Solid

#### **Connector Locking Method:**

Internally threaded coupling ring

#### Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 all mating ends single contact grouping

#### **Operating Tempurature Rating:**

Between -65.0 degrees celsius and 85.0 degrees celsius

#### Thready Qty Per Inch (tpi):

36

#### Thread Size:

0.250 inches

#### **Contact Material:**

Copper alloy all mating ends single contact grouping

## **Contact Surface Treatment:**

Gold all mating ends single contact grouping

## Contact Surface Treatment Specification:

Mil-g-45204 military specification single treatment response all mating ends single contact grouping

## Shell Material:

Copper alloy

## Shell Surface Treatment:

Gold

## Shell Surface Treatment Specification:

Mil-g-45204 military specification single treatment response



# NSN 5935-01-183-3409

Connector Adapter - Page 2 of 2



**Included Contact Quantity:** 1 2nd mating end single contact grouping Included Contact Type: Coaxial pin all mating ends single contact grouping **Precious Material And Location:** Contact and body surfaces gold **Precious Material And Weight:** 0.110 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Uns Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.