NSN 5935-01-186-4649

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-186-4649

view Online at https://aerobasegroup.com/nsn/5955-01-166-4649
Body Style:
Right angle type
Overall Length:
6.500 inches
Overall Width:
0.300 inches
Body Height:
0.330 inches
Environmental Protection:
Humidity resistant and salt water resistant and thermal shock resistant and vibration resistant
Unthreaded Mounting Hole Diameter:
0.068 inches
Distance Between Mounting Facility Centers:
6.300 inches
Mating End Quantity:
1
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Shell Type:
Solid
Connector Locking Method:
Friction
End Application:
5865-nc-c12-0188
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:

Gold single mating end single contact grouping **Insert Material:**

Plastic polyamide single mating end

, ,

Terminal Type:Pin single mating end single contact grouping

Guide Design And Location:

D shape pin left-hand at 9 oclock and d shape pin right-hand at 9 oclock

Shell Material:

Aluminum

NSN 5935-01-186-4649

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Anodize
Included Contact Quantity:
180 single mating end single contact grouping
Included Contact Type:
Flat pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.180 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0