NSN 5935-01-186-8289

Crimp single mating end single contact grouping

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-186-8289

| Body Style: |
|---|
| Straight shape |
| Overall Length: |
| 2.195 inches |
| Overall Height: |
| 0.855 inches |
| Overall Width: |
| 0.635 inches |
| Environmental Protection: |
| Vibration resistant |
| Unthreaded Mounting Hole Diameter: |
| 0.099 inches |
| Distance Between Mounting Facility Centers: |
| 1.842 inches |
| Mating End Quantity: |
| 1 |
| Contact Position Arrangement Style: |
| 2 rows of contacts non-inserted board single mating end |
| Contact Removability: |
| Nonremovable single mating end single contact grouping |
| Contact Maximum Current Rating In Amps: |
| 5.0 single mating end single contact grouping |
| Contact Maximum Dc Voltage Rating In Volts: |
| 700.0 single mating end single contact grouping |
| Polarization Method: |
| Mating end |
| Shell Type: |
| Solid |
| Connector Locking Method: |
| Latch |
| End Application: |
| 5895-01-123-0084 |
| Terminal Location: |
| Back single mating end single contact grouping |
| Contact Material: |
| Copper alloy single mating end single contact grouping |
| Contact Surface Treatment: |
| Gold single mating end single contact grouping and copper single mating end single contact grouping |
| Insert Material: |
| Plastic polyester single mating end and plastic single mating end |
| Terminal Type: |

NSN 5935-01-186-8289

Electrical Receptacle Connector - Page 2 of 2



| Shell Material: |
|---|
| Steel |
| Shell Surface Treatment: |
| Chromate zinc and zinc |
| Included Contact Quantity: |
| 24 single mating end single contact grouping |
| Included Contact Type: |
| Leaf spring single mating end single contact grouping |
| Precious Material And Location: |
| Contact surfaces gold |
| Precious Material And Weight: |
| 0.024 gold grains, troy |
| Precious Material: |
| Gold |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| . |
| Demilitarization: |
| No |
| Fiig: |
| A039b0 |
| |