NSN 5935-01-188-4322

Body Style:

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-188-4322

Straight shape, flush mount **Overall Length:** 1.061 inches **Overall Height:** 3.075 inches **Overall Width:** 2.000 inches **Unthreaded Mounting Hole Diameter:** Between 0.112 inches and 0.118 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 2.783 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.437 inches **Distance From Mounting Shoulder To Front Face:** 0.060 inches **Mating End Quantity:** 2 **Contact Position Arrangement Style:** 8 2nd mating end **Contact Removability:** Removable 1st mating end single contact grouping **Polarization Method:** 3 polarization posts Shell Type: Solid **Connector Locking Method:** Friction **Terminal Location:** Back 1st mating end single contact grouping **Contact Material:** Copper alloy 1st mating end single contact grouping **Contact Surface Treatment:** Gold 1st mating end single contact grouping **Insert Material:** Plastic diallyl phthalate all mating ends **Contact Surface Treatment Specification:** Mil-g-45204 military specification single treatment response 1st mating end single contact grouping **Terminal Type:** Crimp 1st mating end single contact grouping **Contact Material Specification:** Qq-c-533 federal specification single material response 1st mating end single contact grouping

NSN 5935-01-188-4322

Electrical Receptacle Connector - Page 2 of 2



Guide Design And Location:

Hexagon shape female post left-hand at 6 oclock and hexagon shape female post center at 6 oclock and hexagon shape female post right-hand at 6 oclock

Sh	اام	Ma	teri	al·

Aluminum alloy

Shell Surface Treatment:

Cadmium and chromate

Shell Surface Treatment Specification:

Qq-p-416, type 2 federal specification all treatment responses

Shell Material Specification:

Qq-a-591, a380 federal specification single material response

Insert Material Specification:

Mil-m-14 military specification single material response all mating ends

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.026 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.