## NSN 5935-01-188-9032

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-188-9032

**Body Style:** Rectangular shape **Overall Length:** 3.368 inches **Overall Height:** 0.632 inches **Body Width:** 0.330 inches **Environmental Protection:** Heat resistant and cold resistant **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of independent contacts inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Connector Locking Method:** Friction **End Application:** Cv-3757/g **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic phenolic single mating end **Contact Surface Treatment Specification:** Mil-g-45204 type 2 military specification 1st treatment response single mating end single contact grouping **Terminal Type:** Pin single mating end single contact grouping **Insert Material Specification:** Mil-m-14 ty mfh military specification single material response single mating end **Included Contact Quantity:** 62 single mating end single contact grouping **Included Contact Type:** Leaf spring single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

## NSN 5935-01-188-9032

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Weight:</b>
0.062 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.