## NSN 5935-01-188-9034

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-188-9034

view Offiline at https://acrobasegroup.com/hish/0900-01-100-900-4
Body Style:
Right angle type
Overall Length:
2.760 inches
Overall Width:
0.277 inches
Body Height:
0.660 inches
Distance Between Mounting Facility Centers:
2.600 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Mating end and keyway or multiple keyway
Insert Position In Deg:
0.0
Connector Locking Method:
Friction
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic polyester single mating end and glass fiber single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification 1st treatment response single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Included Contact Quantity:
40 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Special Features:
Body built to accept optional latch/extractor arm

Contact surfaces gold

**Precious Material And Location:** 

## NSN 5935-01-188-9034

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Weight:</b>
0.040 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.