

View Online at https://aerobasegroup.com/nsn/5935-01-190-6429

aread Class:
aread Direction:
ght-hand
ody Style:
raight shape, external coupling
verall Length:
625 inches
verall Height:
etween 1.118 inches and 1.158 inches
verall Width:
etween 1.118 inches and 1.158 inches
nvironmental Protection:
pisture resistant and corrosion resistant and thermal shock resistant and vibration resistant
nthreaded Mounting Hole Diameter:
etween 0.115 inches and 0.130 inches
enter To Center Distance Between Mounting Facilities Parallel To Height:
843 inches
stance Between Centerlines Of Mounting Facilities Parallel To Body Width:
843 inches
stance From Mounting Shoulder To Front Face:
etween 0.878 inches and 0.898 inches
nreaded Device Type:
oupling facility
ating End Quantity:
ontact Position Arrangement Style:
-12 single mating end
blarization Method:
eyway or multiple keyway
sert Position In Deg:
4.0 and 152.0 and 219.0 and 265.0
nell Type:
blid
onnector Locking Method:
aternally threaded shell
nready Qty Per Inch (tpi):
nread Size:
750 inches
sert Material:



Shell Material:

Steel

Shell Surface Treatment:

Cadmium and nickel

Thread Series Designator:

Double stub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0