NSN 5935-01-190-6737

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-190-6737 **Thread Class:** 2a and 3b **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight shape w/jackscrew **Overall Length:** 4.128 inches **Overall Height:** 2.840 inches **Overall Width:** 0.697 inches **Environmental Protection:** Humidity resistant and vibration resistant and shock resistant and salt water resistant **Unthreaded Mounting Hole Diameter:** 0.125 inches **Distance Between Mounting Facility Centers:** 3.808 inches **Threaded Device Type:** Coupling facility and back shell **Mating End Quantity:** 12 **Contact Position Arrangement Style:** 244 single mating end **Polarization Method:** Polarization boss and guide pin/socket **Connector Locking Method:** Jackscrew Thready Qty Per Inch (tpi): 32 and 32 and 40 **Thread Size:** 0.138 inches and 0.138 inches and 0.138 inches **Insert Material:** Plastic diallyl phthalate single mating end or plastic epoxy single mating end or plastic phenolic single mating end **Insert Material Specification:** Mil-m-14, type mgd military specification single material response single mating end **Thread Series Designator:** Unc and unc and unc Shelf Life:

N/a

Unit Of Measure:

NSN 5935-01-190-6737

Electrical Receptacle Connector Body - Page 2 of 2



| em | | | |
|----|--|--|--|
| | | | |
| | | | |

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.