## NSN 5935-01-190-7621

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-190-7621 **Thread Class:** 2a and 3b **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight shape w/jackscrew **Overall Length:** 1.945 inches **Overall Height:** 2.840 inches **Overall Width:** 0.520 inches **Environmental Protection:** Humidity resistant and vibration resistant and shock resistant and salt water resistant **Unthreaded Mounting Hole Diameter:** 0.125 inches **Distance Between Mounting Facility Centers:** 1.625 inches **Threaded Device Type:** Coupling facility and back shell **Mating End Quantity:** 12 **Contact Position Arrangement Style:** 38 single mating end **Polarization Method:** Polarization boss and guide pin/socket **Connector Locking Method:** Jackscrew Thready Qty Per Inch (tpi): 32 and 32 and 40 **Thread Size:** 0.138 inches and 0.138 inches and 0.138 inches **Insert Material:** Plastic diallyl phthalate single mating end or plastic epoxy single mating end or plastic phenolic single mating end **Insert Material Specification:** 

Mil-m-14, type mgd military specification single material response single mating end

**Thread Series Designator:** 

Unc and unc and unc

Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 5935-01-190-7621

Electrical Receptacle Connector Body - Page 2 of 2



_					
11	em)	 tor	172	n	

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.