## NSN 5935-01-191-9640

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-191-9640

Body Style:
Straight shape, external coupling
Overall Length:
1.542 inches

Overall Height:

1.219 inches

Overall Width:

4.040: 1

1.219 inches

**Environmental Protection:** 

Vibration resistant and shock resistant and moisture resistant and thermal shock resistant

**Unthreaded Mounting Hole Diameter:** 

Between 0.123 inches and 0.138 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

0.969 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.969 inches

**Distance From Mounting Shoulder To Front Face:** 

Between 0.814 inches and 0.820 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

15-18 single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

7.5 single mating end single contact grouping

**Contact Maximum Dc Voltage Rating In Volts:** 

200.0 single mating end single contact grouping

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

0.0

**Shell Type:** 

Solid

**Connector Locking Method:** 

Bayonet pin

Terminal Location:

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

# NSN 5935-01-191-9640

Electrical Receptacle Connector - Page 2 of 2



#### **Contact Surface Treatment Specification:**

Mil-g-45204, type i, grade c, class 2 military specification single treatment response single mating end single contact grouping

#### **Terminal Type:**

Solder well single mating end single contact grouping

### **Contact Material Specification:**

Qq-b-626 federal specification single material response single mating end single contact grouping

**Shell Material:** 

Aluminum alloy

**Shell Surface Treatment:** 

Nickel

#### **Shell Surface Treatment Specification:**

Mil-c-26074, grade b military specification single treatment response

#### **Shell Material Specification:**

Qq-a-591 federal specification single material response

#### **Included Contact Quantity:**

18 single mating end single contact grouping

#### **Included Contact Type:**

Round pin single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold

#### **Precious Material And Weight:**

0.018 gold grains, troy

**Precious Material:** 

Gold

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig: A039b0

Mil-std (military Standard):

Mil-g-45204 spec.