# NSN 5935-01-192-1473

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-192-1473 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** 1.960 inches **Overall Height:** Between 1.146 inches and 1.170 inches **Overall Width:** Between 4.297 inches and 4.325 inches **Environmental Protection:** Corrosion resistant and moisture resistant and thermal shock resistant and vibration resistant Center To Center Distance Between Mounting Facilities Parallel To Height: Between 0.558 inches and 0.566 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 3.871 inches and 3.879 inches **Distance From Mounting Shoulder To Front Face:** Between 0.519 inches and 0.534 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 71 single mating end **Contact Removability:** Removable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 7.5 single mating end 2nd contact grouping **Polarization Method:** Mating end Shell Type: Solid **Connector Locking Method:** Friction Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.138 inches

**Terminal Location:** 

Back single mating end all contact groupings

# NSN 5935-01-192-1473

Electrical Receptacle Connector - Page 2 of 2



### **Contact Material:**

Copper alloy single mating end all contact groupings

### **Contact Surface Treatment:**

Gold single mating end all contact groupings and copper single mating end all contact groupings

### **Insert Material:**

Plastic single mating end

### **Contact Surface Treatment Specification:**

Mil-g-45204 military specification all treatment responses single mating end all contact groupings

### **Terminal Type:**

Crimp single mating end all contact groupings

### **Contact Material Specification:**

Qq-c-533 federal specification single material response single mating end all contact groupings

### **Shell Material:**

Aluminum alloy

### **Shell Surface Treatment:**

Nickel

### **Shell Surface Treatment Specification:**

Mil-c-26074, class 1 military specification single treatment response

### **Shell Material Specification:**

Qq-a-591 federal specification single material response

### **Included Contact Quantity:**

56 single mating end 2nd contact grouping

# **Included Contact Type:**

Round socket single mating end all contact groupings

### **Special Features:**

Furnished items - spring

# **Precious Material And Location:**

Contact surfaces gold

# **Precious Material And Weight:**

0.071 gold grains, troy

### **Precious Material:**

Gold

# **Thread Series Designator:**

Unc

# Shelf Life:

N/a

### **Unit Of Measure:**

# Demilitarization:

No

# Fiig:

A039b0

### Mil-std (military Standard):

Mil-g-45204 spec.