NSN 5935-01-192-4333

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-192-4333 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.638 inches **Overall Height:** Between 2.980 inches and 3.021 inches **Overall Width:** Between 2.980 inches and 3.021 inches **Environmental Protection:** Corrosion resistant and cold resistant and salt water resistant and waterproof **Unthreaded Mounting Hole Diameter:** Between 0.206 inches and 0.213 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 2.375 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.375 inches **Distance From Mounting Shoulder To Front Face:** Between 0.922 inches and 0.932 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 40-68 single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 46.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 500.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 700.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:**

0.0

Shell Type:

Solid

NSN 5935-01-192-4333

Electrical Receptacle Connector - Page 2 of 2



Connector Locking Method:
Externally threaded shell
End Application:
An/tsq105v4
Thread Length:
0.672 inches
Thready Qty Per Inch (tpi):
10
Thread Size:
2.750 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Silver single mating end single contact grouping
Insert Material:
Rubber single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and nickel
Included Contact Quantity:
21 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.021 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Double stub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No .
Fiig:

A039b0