NSN 5935-01-193-5605

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-193-5605 **Body Style:** Right angle type **Overall Length:** Between 2.714 inches and 2.744 inches Overall Width: 0.683 inches **Body Height:** Between 0.479 inches and 0.509 inches **Unthreaded Mounting Hole Diameter:** 0.120 inches **Distance Between Mounting Facility Centers:** Between 2.495 inches and 2.505 inches **Mating End Quantity: Contact Position Arrangement Style:** 13w6 single mating end **Contact Removability:** Nonremovable single mating end 1st contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end 1st contact grouping **Polarization Method:** Mating end Shell Type: Solid **Connector Locking Method:** Friction **End Application:** An/ulq-13 **Terminal Location:** Side single mating end 1st contact grouping **Contact Material:** Copper alloy single mating end 1st contact grouping **Contact Surface Treatment:** Gold single mating end 1st contact grouping and nickel single mating end 1st contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Pin single mating end 1st contact grouping **Shell Material:** Steel

Chromate

Shell Surface Treatment:

NSN 5935-01-193-5605

Electrical Receptacle Connector - Page 2 of 2



Insert Material Specification:

Mil-m-14, type gdi-30f or type sdg-f military specification single material response single mating end

Included Contact Quantity:

7 single mating end 1st contact grouping

Included Contact Type:

Round pin single mating end 1st contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.007 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.