

NSN 5935-01-193-5642 Electrical Receptacle Connector Body - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-01-193-5642 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape threaded **Overall Length:** 1.401 inches **Overall Diameter:** 1.641 inches **Environmental Protection:** Moisture proof and vibration resistant **Distance From Mounting Shoulder To Front Face:** 0.691 inches **Mounting Facility Thickness:** Between 0.062 inches and 0.125 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** 16-14 single mating end **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid

Connector Locking Method:

Bayonet pin

End Application:

An/wlq-(v)

Thready Qty Per Inch (tpi):

18

Thread Size:

1.125 inches

Insert Material:

Rubber single mating end

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium

NSN 5935-01-193-5642

Electrical Receptacle Connector Body - Page 2 of 2



| Shell | Surface | Treatment | Speci | fication: |
|-------|---------|-----------|-------|-----------|
| | | | | |

Qq-p-416 ty ii, cl 3 federal specification single treatment response

Bushing Accommodation Hole Shape:

Round w/flat

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0