NSN 5935-01-194-7583

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-194-7583 **Body Style:** Right angle type **Overall Length:** 4.440 inches **Overall Width:** 0.547 inches **Body Height:** 0.312 inches **Mating End Quantity: Contact Position Arrangement Style:** 1 row of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 2500.0 single mating end single contact grouping **Polarization Method:** Guide pin/socket **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Glass single mating end and plastic diallyl phthalate single mating end **Terminal Type:** Pin single mating end single contact grouping **Insert Material Specification:** Mil-m-14, ty mfe military specification all material responses single mating end **Unable To Decode:** Unable to decode and unable to decode **Included Contact Quantity:** 26 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping

Special Features:

Pin no 1 and 28 omitted for polarization

Precious Material And Location:

Contact surfaces gold

NSN 5935-01-194-7583

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.026 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-m-14 spec.