Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-195-7281

Body Style:
Straight shape
Overall Length:
Between 3.117 inches and 3.147 inches
Overall Height:
1.225 inches
Overall Width:
0.513 inches
Environmental Protection:
Heat resistant
Unthreaded Mounting Hole Diameter:
Between 0.123 inches and 0.127 inches
Distance Between Mounting Facility Centers:
2.406 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
50 single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
1.0 single mating end single contact grouping
Polarization Method:
Shell
Shell Type:
Solid
Connector Locking Method:
Friction
Connector Cable Strain Relief Method:
Bracket
End Application:
4920-01-111-2981
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic single mating end
Terminal Type:
Origen signals months and signals as a test monomia a

Crimp single mating end single contact grouping

Electrical Receptacle Connector - Page 2 of 2



Shell Material:

Metal

Shell Surface Treatment:

Zinc

Included Contact Quantity:

50 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.050 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A039b0