NSN 5935-01-198-6249

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-198-6249

Thread Class: 2a and 2a and 2a **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.784 inches **Overall Diameter:** 1.625 inches **Distance From Mounting Shoulder To Front Face:** 1.055 inches **Mounting Facility Thickness:** 0.134 inches **Threaded Device Type:** Back shell and coupling facility and mounting bushing **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 18-1 single mating end **Contact Removability:** Nonremovable single mating end all contact groupings **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 45.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 20 and 18 and 18 **Thread Size:** 1.000 inches and 1.125 inches and 1.125 inches **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Iron single mating end 1st contact grouping **Terminal Type:** Solder well single mating end all contact groupings

Shell Material:

Aluminum alloy

NSN 5935-01-198-6249

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment: Chromate and cadmium Included Contact Quantity: 5 single mating end 2nd contact grouping Bushing Accommodation Hole Shape: Round Included Contact Type: Round pin single mating end all contact groupings Thread Series Designator: Unef and unef and unef Shelf Life: N/a Unit Of Measure: --Demilitarization: No

Fiig: A039b0