NSN 5935-01-198-6255

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-198-6255 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.549 inches **Overall Height:** Between 1.552 inches and 1.573 inches **Overall Width:** Between 1.552 inches and 1.573 inches **Environmental Protection:** Cold resistant and heat resistant **Unthreaded Mounting Hole Diameter:** 0.125 inches **Center To Center Distance Between Mounting Facilities Parallel To Height:** 1.250 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.250 inches **Distance From Mounting Shoulder To Front Face:** Between 0.556 inches and 0.566 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 356.0 Shell Type: **Connector Locking Method:** Bayonet pin Thready Qty Per Inch (tpi): 18 **Thread Size:** 1.312 inches **Insert Material:**

Rubber single mating end

Shell Material: Aluminum alloy

NSN 5935-01-198-6255

Fiig: A039b0

Electrical Receptacle Connector Body - Page 2 of 2



Shell Surface Treatment:
Cadmium and nickel
Shell Surface Treatment Specification:
Qq-p-416 ty ii, cl 3 federal specification 1st treatment response and qq-n-290 federal specification 2nd treatment response
Special Features:
Insert configuration 22-13
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No