NSN 5935-01-199-1372

Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-01-199-1372



Thread Class: 2b **Thread Direction:** Right-hand **Body Style:** Right angle type **Overall Length:** 1.260 inches **Overall Height:** 0.670 inches **Overall Width:** 0.280 inches **Distance Between Mounting Facility Centers:** 0.860 inches **Threaded Device Type:** Mounting hole **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 1.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 500.0 single mating end single contact grouping **Polarization Method:** Mating end **Connector Locking Method:** Latch Thready Qty Per Inch (tpi): **Thread Size:** 0.086 inches **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic phenolic single mating end and glass single mating end

NSN 5935-01-199-1372

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Tapered pin single mating end single contact grouping
Included Contact Quantity:
10 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.010 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0