## NSN 5935-01-199-5068

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-199-5068

Body Style:
Right angle, card
Overall Length:
0.940 inches
Body Width:
0.325 inches
Body Height:
0.350 inches
Environmental Protection:
Thermal shock resistant and moisture resistant and salt water resistant
Mating End Quantity:
1
Contact Position Arrangement Style:
32 single mating end
Contact Maximum Current Rating In Amps:
1.5 single mating end single contact grouping
End Application:
B-1b acrft
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Beryllium single mating end single contact grouping and copper single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Contact Surface Treatment Specification:
Mil-g-45204 type i, class c, class 1 military specification 1st treatment response single mating end single contact grouping and qq-n-290
federal specification 2nd treatment response single mating end single contact grouping
Terminal Type:
Crimp single mating end single contact grouping
Contact Material Specification:
Qq-c-533 federal specification single material response single mating end single contact grouping
Included Contact Quantity:
32 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5935-01-199-5068

Electrical Receptacle Connector - Page 2 of 2



_					
11	em)	 tor	172	n	

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.