NSN 5935-01-200-6083

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-200-6083

Body Style: Rectangular shape **Overall Length:** 3.000 inches **Overall Height:** 0.200 inches **Body Width:** 0.335 inches **Environmental Protection:** Shock resistant and vibration resistant and corrosion resistant and humidity resistant **Mating End Quantity: Contact Position Arrangement Style:** 1 row of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Connector Locking Method:** Friction **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic polyester single mating end **Contact Surface Treatment Specification:** Mil-g-45201, type 1, grade a military specification 1st treatment response single mating end single contact grouping and qq-n-290, class 1 federal specification 2nd treatment response single mating end single contact grouping **Terminal Type:** Tab, solder lug single mating end single contact grouping **Insert Material Specification:** Mil-m-24519, ty gpt-15f or gpt-30f military specification single material response single mating end **Included Contact Quantity:** 30 single mating end single contact grouping **Included Contact Type:**

Flat socket single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.030 gold grains, troy

Precious Material:

Gold

NSN 5935-01-200-6083

Electrical Receptacle Connector - Page 2 of 2



N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard):

Shelf Life:

Mil-g-45201 spec.